



Absperrpfosten Stahlrohr 70 x 70 mm ortsfest, zum Einbetonieren, feuerverzinkt und weiß beschichtet mit drei rot reflektierenden Leuchtstreifen, mit 1 Öse Barrier posts Steel tube 70 x 70 mm stationary, for casting in concrete, hot-dip galvanized and white coated with three red reflecting stripes, with 1 eyelet





Artikelbeschreibung:

Absperrpfosten Vierkantrohr 70 x 70 mm mit aufgeschweißter Stahlkappe 900 mm Überflur ortsfest, zum Einbetonieren mit Erdanker Gesamtlänge: 1300 mm, feuerverzinkt und weiß beschichtet mit drei rot reflektierenden Leuchtstreifen, mit 1 Öse

Verwendungszweck:

Zum Sperren, Sichern und Schützen von Bereichen.

Technische Daten:

Gewicht: 7,00 kg/St

Material: S235 JR

Oberfläche:

Feuerverzinkt und Pulverbeschichtet

item description:

Barrier post square tube 70 x 70 mm with welded steel cap 900 mm above ground stationary, for casting in concrete with ground anchor total length: 1300 mm, hot-dip galvanized and white coated with three red reflecting stripes, with 1 eyelet

designated purpose:

For stopping, and securing or saving of areas.

technical specifications:

weight: 7,00 kg/pc

material: S235 JR

surface:

hot dipped galvanized and powder coated