

Zweiflügeltore System Lux (typische Abmessungen)

Ausführung	Breite zwischen den Pfosten x Flügelhöhe (So x H) in [mm]													
	3000x 1200	3000x 1450	3500x 1200	3500x 1450	4000x 1200	4000x 1450	4500x 1200	4500x 1450	5000x 1450	5000x 1750	5500x 1450	5500x 1750	6000x 1450	6000x 1750
L 1031/Wp	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
L 1033/P	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
L 1034/P	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
L 1039/Wp	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
L 1045/Wp	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
L 1046/Wp	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
L 1048/Wp	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
L 1051/P	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
L 1052/P	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
L 1053/P	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
L 1054/P	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
L 1056/Wp*	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
L 1057/Wp*	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
L 1058/Wp*	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
L 1059/Wp*	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
L 1060/P	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
L 1061/P	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
L 1062/Wp*	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

P - gerade Ausführung des oberen Randes, Wp - Ausführung des oberen Randes mit einem gewölbten Bogen.

* - Zweiflügeliges Tor mit dem Bogen C = 150

Zweiflügeltore System Lux (typische Abmessungen)

Ausführung	Breite zwischen den Pfosten x Flügelhöhe (So x H) in [mm]													
	3000x 1200	3000x 1450	3500x 1200	3500x 1450	4000x 1200	4000x 1450	4500x 1200	4500x 1450	5000x 1450	5000x 1750	5500x 1450	5500x 1750	6000x 1450	6000x 1750
L 1056/Wp**	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
L 1057/Wp**	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
L 1058/Wp**	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
L 1059/Wp**	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
L 1062/Wp**	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

P - gerade Ausführung des oberen Randes, **Wp** - Ausführung des oberen Randes mit einem gewölbten Bogen.

** - Zweiflügeliges Tor mit dem Bogen C = 350

Zweiflügeltore System Lux (Sonderabmessungen)

Torflügel- höhe (H) in [mm]	Abstand (Breite) zwischen den Pfosten (So) in [mm]											
	Ausführung	von 2400 bis 3500	3600 3700	3800 3900 4000	4100 4200	4300 4400 4500	4600 4700	4800 4900 5000	5100 5200	5300 5400 5500	5600 5700	5800 5900 6000
1000 1050	L 1031	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	L 1033	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	L 1034	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	L 1039	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	L 1045	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	L 1046	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	L 1048	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	L 1051	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	L 1052	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	L 1053	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	L 1054	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	L 1056	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	L 1057	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	L 1058	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
1100 1150	L 1059	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	L 1060	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
1200 1250	L 1061	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	L 1062	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

Torflügel- höhe (H) in [mm]	Abstand (Breite) zwischen den Pfosten (So) in [mm]											
	Ausführung	von 2400 bis 3500	3600 3700	3800 3900 4000	4100 4200	4300 4400 4500	4600 4700	4800 4900 5000	5100 5200	5300 5400 5500	5600 5700	5800 5900 6000
1500 1550 1600	L 1031	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	L 1033	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	L 1034	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	L 1039	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	L 1045	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	L 1046	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	L 1048	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	L 1051	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	L 1052	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	L 1053	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	L 1054	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	L 1056	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	L 1057	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	L 1058	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	L 1059	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	L 1060	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	L 1061	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	L 1062	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

Torflügel- höhe (H) in [mm]	Abstand (Breite) zwischen den Pfosten (So) in [mm]											
	Ausführung	von 2400 bis 3500	3600 3700	3800 3900 4000	4100 4200	4300 4400 4500	4600 4700	4800 4900 5000	5100 5200	5300 5400 5500	5600 5700	5800 5900 6000
1650 1700 1750	L 1031	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	L 1033	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	L 1034	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	L 1039	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	L 1045	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	L 1046	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	L 1048	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	L 1051	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	L 1052	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	L 1053	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	L 1054	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	L 1056	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	L 1057	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	L 1058	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	L 1059	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	L 1060	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	L 1061	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	L 1062	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

Torflügel- höhe (H) in [mm]	Abstand (Breite) zwischen den Pfosten (So) in [mm]											
	Ausführung	von 2400 bis 3500	3600 3700	3800 3900 4000	4100 4200	4300 4400 4500	4600 4700	4800 4900 5000	5100 5200	5300 5400 5500	5600 5700	5800 5900 6000
1800 1850 1900 1950	L 1031	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	L 1033	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	L 1034	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	L 1039	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	L 1045	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	L 1046	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	L 1048	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	L 1051	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	L 1052	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	L 1053	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	L 1054	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	L 1056	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	L 1057	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	L 1058	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	L 1059	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	L 1060	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	L 1061	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	L 1062	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓