

Zweiflügeltore System Modern (typische Abmessungen)

Ausführung	Breite zwischen den Pfosten x Flügelhöhe (So x H) in [mm]													
	3000x 1200	3000x 1450	3500x 1200	3500x 1450	4000x 1200	4000x 1450	4500x 1200	4500x 1450	5000x 1450	5000x 1750	5500x 1450	5500x 1750	6000 x1450	6000 x1750
M 10100/P	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
M 10101/P	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
M 10102/P	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
M 10103/P	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

Zweiflügeltore System Modern (typische Abmessungen)

Ausführung	Breite zwischen den Pfosten x Flügelhöhe (So x H) in [mm]																				
	3000 x 1200	3000 x 1600	3000 x 2000	3500 x 1200	3500 x 1600	3500 x 2000	4000 x 1200	4000 x 1600	4000 x 2000	4500 x 1200	4500 x 1600	4500 x 2000	5000 x 1200	5000 x 1600	5000 x 2000	5500 x 1200	5500 x 1600	5500 x 2000	6000 x 1200	6000 x 1600	6000 x 2000
M 10104/P	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
M 10106/P	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
M 10107/P	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
M 10108/P	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
M 10110/P	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
M 10111/P	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
M 10112/P	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

P - gerade Ausführung des oberen Randes.

Ausführung	Breite zwischen den Pfosten x Flügelhöhe (So x H) in [mm]																				
	3000 x 1250	3000 x 1650	3000 x 2050	3500 x 1250	3500 x 1650	3500 x 2050	4000 x 1250	4000 x 1650	4000 x 2050	4500 x 1250	4500 x 1650	4500 x 2050	5000 x 1250	5000 x 1650	5000 x 2050	5500 x 1250	5500 x 1650	5500 x 2050	6000 x 1250	6000 x 1650	6000 x 2050
M 10105/P	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Ausführung	Breite zwischen den Pfosten x Flügelhöhe (So x H) in [mm]																				
	3000 x 1250	3000 x 1650	3000 x 2050	3500 x 1250	3500 x 1650	3500 x 2050	4000 x 1250	4000 x 1650	4000 x 2050	4500 x 1250	4500 x 1650	4500 x 2050	5000 x 1250	5000 x 1650	5000 x 2050	5500 x 1250	5500 x 1650	5500 x 2050	6000 x 1250	6000 x 1650	6000 x 2050
M 10109/P	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Ausführung	Breite zwischen den Pfosten x Flügelhöhe (So x H) in [mm]																				
	3000 x 1250	3000 x 1500	3000 x 1750	3500 x 1250	3500 x 1500	3500 x 1750	4000 x 1250	4000 x 1500	4000 x 1750	4500 x 1250	4500 x 1500	4500 x 1750	5000 x 1250	5000 x 1500	5000 x 1750	5500 x 1250	5500 x 1500	5500 x 1750	6000 x 1250	6000 x 1500	6000 x 1750
M 10114/P	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

P - gerade Ausführung des oberen Randes.

Zweiflügeltore System Modern (Sonderabmessungen)

Torflügelhöhe (H) in [mm]	Ausführung	Abstand (Breite) zwischen den Pfosten (So) in [mm]										
		von 2400 bis 3500	3600 3700	3800 3900 4000	4100 4200	4300 4400 4500	4600 4700	4800 4900 5000	5100 5200	5300 5400 5500	5600 5700	5800 5900 6000
1000 1050 1100 1150 1200 1250 1300 1350 1400 1450	M 10100	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
1500 1550 1600		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
1650 1700 1750		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
1000 1050 1100 1150 1200 1250 1300 1350 1400 1450	M10101	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
1500 1550 1600		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
1650 1700 1750		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

Zweiflügeltore System Modern (Sonderabmessungen)

Torflügelhöhe (H) in [mm]	Ausführung	Abstand (Breite) zwischen den Pfosten (So) in [mm]										
		von 2400 bis 3500	3600 3700	3800 3900 4000	4100 4200	4300 4400 4500	4600 4700	4800 4900 5000	5100 5200	5300 5400 5500	5600 5700	5800 5900 6000
1000 1050 1100 1150 1200 1250 1300 1350 1400 1450	M 10102	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
1500 1550 1600		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
1650 1700 1750		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
1800 1850 1900 1950		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
1000 1050 1100 1150 1200 1250 1300 1350 1400 1450	M 10103	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
1500 1550 1600		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
1650 1700 1750		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
1800 1850 1900 1950		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
1000 1100 1200	M 10104	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
1300 1400 1500 1600		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
1700 1800 1900 2000		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

Zweiflügeltore System Modern (Sonderabmessungen)

Torflügelhöhe (H) in [mm]	Ausführung	Abstand (Breite) zwischen den Pfosten (So) in [mm]										
		von 2400 bis 3500	3600 3700	3800 3900	4100 4200	4300 4400	4600 4700	4800 4900	5100 5200	5300 5400	5600 5700	5800 5900
950 1050 1150 1250	M 10105	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
1350 1450 1550 1650		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
1750 1850 1950 2050		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
1000 1100 1200		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
1300 1400 1500 1600	M 10106	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
1700 1800 1900 2000		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
1000 1200		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
1400 1600		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
1800 2000	M 10107	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
1000 1100 1200		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
1300 1400 1500 1600		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
1700 1800 1900 2000		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
1200	M 10108	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
1650		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
2100		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
1000 1100 1200		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
1300 1400 1500 1600	M 10109	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
1700 1800 1900 2000		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
1000 1100 1200		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
1300 1400 1500 1600		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
1700 1800 1900 2000	M 10110	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
1000 1100 1200		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
1300 1400 1500 1600		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
1700 1800 1900 2000		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
1000 1100 1200	M 10111	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
1300 1400 1500 1600		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
1700 1800 1900 2000		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
1000 1100 1200		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

Zweiflügeltore System Modern (Sonderabmessungen)

Torflügelhöhe (H) in [mm]	Ausführung	Abstand (Breite) zwischen den Pfosten (So) in [mm]										
		von 2400 bis 3500	3600 3700	3800 3900 4000	4100 4200	4300 4400 4500	4600 4700	4800 4900 5000	5100 5200	5300 5400 5500	5600 5700	5800 5900 6000
1000 1100 1200	M 10112	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
1300 1400 1500 1600		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
1700 1800 1900 2000		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
1000 1250	M 10114	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
1500		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
1750		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
2000		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓